L Number	Hits	Search Text	DB	Time stamp
	41	(( (stream\$3 or datastream\$3) and ((receiv\$	USPAT;	2004/08/13
		or send\$) adj3 (self or itself))) and (	US-PGPUB	16:10
		(stream\$3 or datastream\$3).clm.)) and		
		(709/\$.ccls. or 719/\$.ccls.)		
2	51	( (stream\$3 or datastream\$3) and ((receiv\$	USPAT;	2004/08/13
_		or send\$) adj3 (self or itself))) and (	US-PGPUB	17:00
		719/\$.ccls)		
3	51	( (stream\$3 or datastream\$3) and ((receiv\$	USPAT;	2004/08/13
		or send\$) adj3 (self or itself))) and (	US-PGPUB	16:41
		719/\$.ccls.)		
5	0	( (stream\$3 or datastream\$3) adj object)	USPAT;	2004/08/13
	•	with (send\$ or receiv\$) with (self or itself)	US-PGPUB	16:43
6	2	( (stream\$3 or datastream\$3) adj3 object)	USPAT;	2004/08/13
	_	with (send\$ or receiv\$) with (self or itself)	US-PGPUB	16:57
,	34	( (stream\$3 or datastream\$3) adj2 object)	USPAT;	2004/08/13
'	J-4	with (self or itself)	US-PGPUB	16:44
В	1	( (stream\$3 or datastream\$3) adj3 object)	EPO; JPO;	2004/08/13
-	ļ	with (send\$ or receiv\$) with (self or itself)	DERWENT;	16:58
		The facility of reactive with facility is tracily	IBM_TDB	.0.00
9	493	( (stream\$3 or datastream\$3) same ((receiv\$	EPO; JPO;	2004/08/13
	493	or send\$) same (self or itself)))	DERWENT;	17:00
		or sendy) same (sen or itsen)))	IBM_TDB	17.00
10	89	( (stream\$3 or datastream\$3) with ((receiv\$	EPO; JPO;	2004/08/13
10	09	or send\$) with (self or itself)))	DERWENT;	17:09
		or send\$) with (sen or itsen)))	IBM_TDB	17:09
	5	( (stream\$3 or datastream\$3) same class	USPAT;	2004/08/13
11	ą		US-PGPUB	17:10
		same ((receiv\$ or send\$) with (self or itself)))	US-PGPUB	17:10
•	2540	(stream\$3 or datastream\$3) with class	USPAT;	2004/01/21
			US-PGPUB	17:01
-	404	(stream\$3 or datastream\$3) with class with	USPAT;	2004/01/21
		(instance or object)	US-PGPUB	17:01
-	1	(stream\$3 or datastream\$3) with class with	USPAT;	2004/01/21
		(instance or object) with populat\$	US-PGPUB	17:02
•	40	(stream\$3 or datastream\$3) with class with	USPAT;	2004/01/21
		(instance or object) with receiv\$	US-PGPUB	17:03
	0	(stream\$3 or datastream\$3) with class with	USPAT;	2004/01/21
		(instance or object) with receiv\$ with self	US-PGPUB	17:03
.	1	(stream\$3 or datastream\$3) with class with	USPAT;	2004/01/21
		(instance or object) with receiv\$ with	US-PGPUB	17:04
		identifier		
. `	20	((stream\$3 or datastream\$3) with class with	USPAT;	2004/01/21
		(instance or object)) same send\$ same	US-PGPUB	17:15
		receiv\$		
	63	(stream\$3 or datastream\$3) with class	USPAT;	2004/01/22
		same send\$ same receiv\$	US-PGPUB	09:51
	49	(stream\$3 or datastream\$3) with class	USPAT;	2004/01/22
		same populat\$	US-PGPUB	14:10
•	49	((stream\$3 or datastream\$3) with class)	USPAT;	2004/01/22
		same populat\$	US-PGPUB	12:58

-	11	("5301320"   "5721908"   "5737607"	USPAT	2004/01/22
		"5890133"   "5907704"   "5920703"		09:58
		"5953707"   "6085198"   "6092118"		
		"6289345"   "6295538").PN.		
-	26	((stream\$3 or datastream\$3) and	USPAT;	2004/01/22
		class).ti,ab. and 709/\$.ccls.	US-PGPUB	10:40
-	5	("5650825"   "5768539"   "5790753"	USPAT	2004/01/22
		"5978855"   "6212327").PN.		10:15
•	7	("5347653"   "5708828"   "5742818"	USPAT	2004/01/22
		"5745906"   "5832275"   "5915112"		10:20
		"5951638").PN.		
-	5	("5925100"   "5950006"   "5987497"	USPAT	2004/01/22
		"5987514"   "5995972").PN.		10:35
-	7872	(active or self-descri\$) with (stream\$3 or	USPAT;	2004/01/22
		datastream\$3)	US-PGPUB	13:01
-	23	(active or self-descri\$) with (stream\$3 or	USPAT;	2004/01/22
		datastream\$3) with class	US-PGPUB	13:00
-	1	("5949614"). <b>PN</b> .	USPAT;	2004/01/22
			US-PGPUB	10:49
-	1	("6253256"). <b>PN</b> .	USPAT;	2004/01/22
			US-PGPUB	12:58
-	672860	((stream\$3 or datastream\$3) ajd3 class)	USPAT;	2004/01/22
			US-PGPUB	12:59
-	951	((stream\$3 or datastream\$3) and class)	USPAT;	2004/01/22
		.clm.	US-PGPUB	12:59
-	227	((stream\$3 or datastream\$3) and class)	USPAT;	2004/01/22
		.ti,ab.	US-PGPUB	12:59
-	91	(((stream\$3 or datastream\$3) and class)	USPAT;	2004/01/22
		.clm.) and (((stream\$3 or datastream\$3) and	US-PGPUB	12:59
		class) .ti,ab.)		
-	1	(active or self-descri\$) with (stream\$3 or	USPAT;	2004/08/13
		datastream\$3) with class with (restor\$ or	US-PGPUB	08:40
		reconstruct\$)		
-	922	((active or self-descri\$) and (stream\$3 or	USPAT;	2004/01/22
		datastream\$3)).ti,ab.	US-PGPUB	14:27
-	0	((((stream\$3 or datastream\$3) and class)	USPAT;	2004/01/22
		.clm.) and (((stream\$3 or datastream\$3) and	US-PGPUB	13:02
		class) .ti,ab.)) and (((active or self-descri\$)		
		and (stream\$3 or datastream\$3)).ti,ab.)		0004/04/05
-	44417	709/\$.ccls. or 719/\$.ccls. or 707/\$.ccls.	USPAT;	2004/01/22
			US-PGPUB	14:34
-	26	((((stream\$3 or datastream\$3) and class)	USPAT;	2004/01/22
		.clm.) and (((stream\$3 or datastream\$3) and	US-PGPUB	13:29
		class) .ti,ab.)) and (709/\$.ccls. or 719/\$.ccls.		
		or 707/\$.ccls.)	HCDAT	2004/04/02
•	14	("4506326"   "4509119"   "4604686"	USPAT	2004/01/22
		"4631664"   "4642762"   "4747072"		13:20
		"4769772"   "4791550"   "4811199"		
		"4821220"   "4841433"   "4853843"		
	76	"4866634"   "4949251").PN. 5161225.URPN.	IISDAT	2004/04/22
-	78	5101225.UKPN.	USPAT	2004/01/22
	764666	active detectrosm	USPAT;	13:21
-	751560	active datastream	1	2004/01/22
			US-PGPUB	13:30

-	2	active adj datastream	USPAT;	2004/01/22
			US-PGPUB	13:30
-	495	active adj message	USPAT;	2004/01/22
			US-PGPUB	13:31
-	544291	(active adj message) extract\$	USPAT;	2004/01/22
			US-PGPUB	13:32
-	4	(active adj message) with extract\$	USPAT;	2004/01/22
			US-PGPUB	13:32
-	1	(active adj message) with self	USPAT;	2004/01/22
			US-PGPUB	13:33
-	20	(active adj message).ti,ab.	USPAT;	2004/01/22
			US-PGPUB	13:33
-	5	("5226131"   "5241635"   "5353418"	USPAT	2004/01/22
		"5442797"   "5499349").PN.	•	13:42
-	188	(stream\$3 or datastream\$3) with class	EPO; JPO;	2004/01/22
			DERWENT;	14:11
			IBM_TDB	
-	0	(stream\$3 or datastream\$3) and class and	EPO; JPO;	2004/01/22
	-	populate	DERWENT;	14:13
			IBM_TDB	
-	24	(stream\$3 or datastream\$3) and class and	EPO; JPO;	2004/01/22
		self	DERWENT;	14:13
			IBM_TDB	
-	8	((first adj class) and (stream\$3 or	USPAT;	2004/01/22
		datastream\$3)).ti,ab.	US-PGPUB	14:46
-	286	(active or self-descri\$) same (stream\$3 or	USPAT;	2004/01/22
		datastream\$3) same class same (restor\$ or	US-PGPUB	14:41
		reconstruct\$)		
-	• 0	719/3.ccls.	USPAT;	2004/01/22
			US-PGPUB	14:34
-	3838	719/3\$.ccls.	USPAT;	2004/01/22
			US-PGPUB	14:34
-	3	((active or self-descri\$) same (stream\$3 or	USPAT;	2004/01/22
		datastream\$3) same class same (restor\$ or	US-PGPUB	14:34
		reconstruct\$)) and 719/3\$.ccls.		
-	477	(active or self-descri\$) same (stream\$3 or	USPAT;	2004/01/22
		datastream\$3) same class	US-PGPUB	15:28
•	3838	719/3\$.ccls. and 719/3\$.ccls.	USPAT;	2004/01/22
		740/041	US-PGPUB	14:41
•	9	719/3\$.ccls. and ((active or self-descri\$)	USPAT;	2004/01/22
		same (stream\$3 or datastream\$3) same	US-PGPUB	14:41
	04504	class)		
-	91591	( (stream\$3 or datastream\$3) adj	USPAT;	2004/01/22
		(("5301320"   "5721908"   "5737607"	US-PGPUB	14:47
	]	"5890133"   "5907704"   "5920703"		
		"5953707"   "6085198"   "6092118"		
	420	"6289345"   "6295538").PN.) object).ti,ab.	110000	0004/04/55
-	138	( (stream\$3 or datastream\$3) adj2	USPAT;	2004/01/22
		object).ti,ab.	US-PGPUB	14:47
•	7	719/3\$.ccls. and (( (stream\$3 or	USPAT;	2004/01/22
_	GE4	datastream\$3) adj2 object).ti,ab.)	US-PGPUB	14:47
-	651	((first adj class) or active) same (stream\$3	USPAT;	2004/01/22
		or datastream\$3) same class	US-PGPUB	15:29

-	58	(709/\$.ccls. or 719/\$.ccls. or 707/\$.ccls.) and	USPAT;	2004/01/22
		(((first adj class) or active) same (stream\$3	US-PGPUB	15:29
		or datastream\$3) same class)		
-	581	((first adj class) or active) same (stream\$3	USPAT;	2004/01/22
		or datastream\$3) same object	US-PGPUB	15:30
-	104	(709/\$.ccls. or 719/\$.ccls. or 707/\$.ccls.) and	USPAT;	2004/01/22
		(((first adj class) or active) same (stream\$3	US-PGPUB	15:30
		or datastream\$3) same object)		
-	165	((first adj class) or active) with (stream\$3 or	USPAT;	2004/01/22
,		datastream\$3) with object	US-PGPUB	15:30
_	15	(709/\$.ccls. or 719/\$.ccls. or 707/\$.ccls.) and	USPAT;	2004/01/22
		(((first adj class) or active) with (stream\$3	US-PGPUB	15:37
		or datastream\$3) with object)		
-	16	719/3\$.ccls. and (((first adj class) or active)	USPAT;	2004/01/22
		same (stream\$3 or datastream\$3) same	US-PGPUB	15:37
		object)		
-	203	((active or self-descri\$ or self) with	USPAT;	2004/08/13
		(stream\$3 or datastream\$3)) same receiv\$	US-PGPUB	08:43
		same send\$		
	37	((active or self-descri\$) with (stream\$3 or	USPAT;	2004/08/13
		datastream\$3)) same receiv\$ same send\$	US-PGPUB	08:58
		same (self or itself)		
-	1507	(stream\$3 or datastream\$3) same ((receiv\$	USPAT;	2004/08/13
		or send\$) with (self or itself))	US-PGPUB	08:59
	243	(stream\$3 or datastream\$3) same ((receiv\$	USPAT;	2004/08/13
		or send\$) adj3 (self or itself))	US-PGPUB	09:00
_	78	(stream\$3 or datastream\$3) with ((receiv\$	USPAT;	2004/08/13
		or send\$) adj3 (self or itself))	US-PGPUB	09:00
-	1	(stream\$3 or datastream\$3) with ((receiv\$	USPAT;	2004/08/13
		or send\$) adj3 (self or itself)) same class	US-PGPUB	09:01
	61552	(stream\$3 or datastream\$3).ti,ab.	USPAT;	2004/08/13
			US-PGPUB	09:02
-	1	( (stream\$3 or datastream\$3) with ((receiv\$	USPAT;	2004/08/13
		or send\$) adj3 (self or itself)) same class)	US-PGPUB	09:02
		and ( (stream\$3 or datastream\$3).ti,ab.)		
-	36	( (stream\$3 or datastream\$3) with ((receiv\$	USPAT;	2004/08/13
		or send\$) adj3 (self or itself))) and (	US-PGPUB	12:35
		(stream\$3 or datastream\$3).ti,ab.)		
-	0	5528762.URPN.	USPAT	2004/08/13
			1	09:14
-	0	5528762.URPN.	USPAT	2004/08/13
				09:14
-	13	("4922486"   "4933933"   "5008882"	USPAT	2004/08/13
		"5038386"   "5058001"   "5101480"		09:14
		"5105424"   "5138615"   "5181017"		
		"5204949"   "5243596"   "5333268"		
		"5333279").PN.		
-	480	( (stream\$3 or datastream\$3) and ((receiv\$	USPAT;	2004/08/13
		or send\$) adj3 (self or itself))) and (	US-PGPUB	16:21
		(stream\$3 or datastream\$3).clm.)		
-	33636	709/\$.ccls. or 719/\$.ccls.	USPAT;	2004/08/13
			US-PGPUB	12:36